SIGMA-ALDRICH

SAFETY DATA SHEET

Version 5.5 Revision Date 04/04/2017 Print Date 12/11/2017

1. PRODUCT AND COMPANY IDENTIFICATION 1.1 Product identifiers Product name Ammonium metavanadate Product Number : 398128 Brand Sigma-Aldrich CAS-No. ÷ 7803-55-6 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses Laboratory chemicals, Synthesis of substances 1.3 Details of the supplier of the safety data sheet : Sigma-Aldrich Company 3050 Spruce Street 03

| Telephone : +1 800-325-5832 Fax : +1 800-325-5052 | | SAINT LOUIS MO 6310 USA |
|--|------------------|--|
| 1 4/1 000 020 0002 | Telephone Fax | : +1 800-325-5832 : +1 800-325-5052 |

1.4 Emergency telephone number

| Emergency Phone # | : | +1-703-527-3887 (| (CHEMTREC) |
|-------------------|---|-------------------|------------|
|-------------------|---|-------------------|------------|

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 4), H332 Eye irritation (Category 2A), H319 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Specific target organ toxicity - repeated exposure, Oral (Category 1), H372 Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

| Hazard statement(s) | |
|---------------------|--|
| H301 | Toxic if swallowed. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H372 | Causes damage to organs through prolonged or repeated exposure if swallowed. |
| H402 | Harmful to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

| Precautionary statement(s) | |
|----------------------------|--|
| P260 | Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P273 | Avoid release to the environment. |
| P280 | Wear eye protection/ face protection. |
| P301 + P310 + P330 | IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. |
| P304 + P340 + P312 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P314 | Get medical advice/ attention if you feel unwell. |
| P337 + P313 | If eye irritation persists: Get medical advice/ attention. |
| P391 | Collect spillage. |
| P403 + P233 P405 | Store in a well-ventilated place. Keep container tightly closed. Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Synonyms | : | Ammonium trioxovanadate |
|----------|---|-------------------------|
| | | Ammonium (meta)vanadate |

| Formula | : | H ₄ NO ₃ V |
|------------------|---|----------------------------------|
| Molecular weight | : | 116.98 g/mol |
| CAS-No. | : | 7803-55-6 |
| EC-No. | : | 232-261-3 |

Hazardous components

| Component | Classification | Concentration |
|-------------------------|--|---------------|
| Ammonium trioxovanadate | | |
| | Acute Tox. 3; Acute Tox. 4; Eye Irrit. 2A; STOT SE 3; STOT RE 1; Aquatic Acute 3; Aquatic Chronic 2; H301, H319, H332, H335, H372, H402, H411 | 90 - 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- 4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

Further information 5.4

No data available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures 6.1

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 **Reference to other sections**

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters 8.1

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|----------------|-----------|-------------------------|--------------------|---|
| Ammonium | 7803-55-6 | С | 0.050000 | USA. NIOSH Recommended |
| trioxovanadate | | | mg/m3 | Exposure Limits |
| | Remarks | 15 minute c | eiling value | |
| | | С | 0.050000 | USA. NIOSH Recommended |
| | | | mg/m3 | Exposure Limits |
| | | 15 minute c | eiling value | |
| | | С | 0.05 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | 15 minute ceiling value | | |
| | | С | 0.05 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | 15 minute c | eiling value | |

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

| | | • • |
|----|--|--|
| a) | Appearance | Form: solid Colour: colourless |
| b) | Odour | No data available |
| c) | Odour Threshold | No data available |
| d) | рН | No data available |
| e) | Melting point/freezing point | No data available |
| f) | Initial boiling point and boiling range | No data available |
| g) | Flash point | Not applicable |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | No data available |
| k) | Vapour pressure | No data available |
| I) | Vapour density | No data available |
| m) | Relative density | 2.32 g/cm3 at 25 °C (77 °F) |
| n) | Water solubility | 7.81 g/l - OECD Test Guideline 105 - soluble |
| o) | Partition coefficient: n- octanol/water | No data available |
| p) | Auto-ignition temperature | No data available |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | No data available |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | No data available |
| | r safety information ata available | |

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials Strong acids and oxidizing agents

10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Nitrogen oxides (NOx), Sulphur oxides, Borane/boron oxides, Vanadium/vanadium oxides

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 169.33 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - 4 h - 7.8 µg/l

LD50 Dermal - Rat - 2,102 mg/kg

LD50 Intraperitoneal - Rat - 18 mg/kg

LD50 Subcutaneous - Rat - 23 mg/kg

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitisation No data available

Germ cell mutagenicity No data available

No data available

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Additional Information

RTECS: YW0875000

Headache, Tremors, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

| Toxicity to fish | flow-through test LC50 - Limanda limanda - 27.8 mg/l - 96 h |
|---|---|
| Toxicity to daphnia and other aquatic invertebrates | Remarks: No data available |
| Toxicity to algae | Remarks: No data available |

Toxicity to bacteria Remarks: No data available

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2859 Class: 6.1 Packing group: II Proper shipping name: Ammonium metavanadate Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

IMDG

UN number: 2859 Class: 6.1 Packing group: II EMS-No: F-A, S-A Proper shipping name: AMMONIUM METAVANADATE

ΙΑΤΑ

UN number: 2859 Class: 6.1 Packing group: II Proper shipping name: Ammonium metavanadate

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

| | CAS-No. | Revision Date |
|--|-----------|---------------|
| Ammonium trioxovanadate | 7803-55-6 | 1993-04-24 |
| SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard | | |
| Massachusetts Right To Know Components | | |
| | CAS-No. | Revision Date |
| Ammonium trioxovanadate | 7803-55-6 | 1993-04-24 |
| Pennsylvania Right To Know Components | | |
| | CAS-No. | Revision Date |
| Ammonium trioxovanadate | 7803-55-6 | 1993-04-24 |
| | | |
| | CAS-No. | Revision Date |
| Ammonium trioxovanadate | 7803-55-6 | 1993-04-24 |
| New Jersey Right To Know Components | | |
| | CAS-No. | Revision Date |
| Ammonium trioxovanadate | 7803-55-6 | 1993-04-24 |
| | | |

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

| Acute Tox. | Acute toxicity |
|-----------------|--|
| Aquatic Acute | Acute aquatic toxicity |
| Aquatic Chronic | Chronic aquatic toxicity |
| Eye Irrit. | Eye irritation |
| H301 | Toxic if swallowed. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H372 | Causes damage to organs through prolonged or repeated exposure if swallowed. |
| H402 | Harmful to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| STOT RE | Specific target organ toxicity - repeated exposure |
| STOT SE | Specific target organ toxicity - single exposure |

HMIS Rating

| 2 |
|---|
| * |
| 0 |
| 0 |
| |

NFPA Rating

| Health hazard: | 2 |
|--------------------|---|
| Fire Hazard: | 0 |
| Reactivity Hazard: | 0 |

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.5

Revision Date: 04/04/2017

Print Date: 12/11/2017