# The Cleaning Resource

# SAFETY DATA SHEET

## 1. Identification

**Product identifier SEAL 341** 

Other means of identification

SDS number 577N-32D Product code HIL00341 Recommended use Floor Finish **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company name HILLYARD INDUSTRIES **Address** 302 North Fourth St.

St. Joseph, MO 64501

Regulatory Affairs **Contact person** 

Telephone number (816) 233-1321 (Ext. 8285)

(816) 383-8485 Fax

regulatoryaffairs@hillyard.com E-mail

(800) 424-9300 **Emergency telephone #** 

(Only in the event of chemical emergency involving a spill, leak, fire, exposure or

accident involving chemicals)

# 2. Hazard(s) identification

Not classified. Physical hazards **Health hazards** Not classified.

**Environmental hazards** Hazardous to the aquatic environment, acute Category 3

hazard

**OSHA** defined hazards Not classified.

Label elements

**Hazard symbol** None. None. Signal word

**Hazard statement** Harmful to aquatic life.

**Precautionary statement** 

Avoid release to the environment. Prevention Wash hands after handling. Response

Store away from incompatible materials. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal** 

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
2-(2-ethoxyethoxy)ethanol		111-90-0	3 - < 5
Tributoxyethyl Phosphate		78-51-3	1 - < 3
Other components below reportable lev	rels		90 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Material name: SEAL 341 SDS US

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Eve contact

Continue rinsing.

Ingestion Drink water as a precaution. Get medical attention if any discomfort continues.

Most important

**General information** 

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

During fire, gases hazardous to health may be formed.

and precautions for firefighters

Move containers from fire area if you can do so without risk.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Follow precautions for safe handling described in this safety data sheet. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

# 7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage. including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

### Occupational exposure limits

US. AIHA Workplace	<b>Environmental Exposure</b>	Level (WEEL) Guides

Components	Туре	Value	
2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)	TWA	140 mg/m3	
,		25 ppm	
Biological limit values	No biological exposure limits noted	No biological exposure limits noted for the ingredient(s).	

Material name: SEAL 341 SDS US Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Where splashing of concentrate is a concern, use protective glasses with side shield

Skin protection

**Hand protection** For prolonged or repeated skin contact use suitable protective gloves.

Other Not normally needed.

**Respiratory protection** No personal respiratory protective equipment normally required.

Thermal hazards None known.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Milky emulsion

Physical state Liquid.

Form Liquid.

Color Milky white

Odor non-objectionable odor

Odor threshold Not available pH 8.5 - 9.5

Melting point/freezing point Not applicable / Not available

Initial boiling point and boiling

> 200 °F (> 93.33 °C)

range

Flash point > 200.0 °F (> 93.3 °C) Tag Closed Cup

Evaporation rate < 1 Ethyl ether = 1
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 21.1 mm Hg

Vapor density 1.1 AIR=1

Relative density 1.029 at 77°F

Solubility(ies)

Solubility (water) Appreciable

Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available

Not available

Other information

Density 8.57 lb/gal
Percent volatile 77.5 - 78.5 %
VOC (Weight %) CARB Compliant

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Material name: SEAL 341 SDS US

Incompatible materials

Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact May be irritating to the skin.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

### **Acute toxicity**

Product	Species	Test Results
SEAL 341		
Acute		
Dermal		
LD50	Rabbit	25000.1406 mg/kg estimated
Inhalation		
LC50	Mouse	5955.5742 mg/l, 10 Minutes estimated
		2816.4292 mg/l, 1 Hours estimated
		2774.5181 mg/l, 2 Hours estimated
	Rabbit	3167.116 mg/l, 1 Hours estimated
	Rat	6370.4946 mg/l, 2 Hours estimated
		4274.937 mg/l, 1 Hours estimated
Oral		
LD50	Guinea pig	46728.9727 mg/kg estimated
	Mouse	157.7938 g/kg estimated
	Rabbit	86810.5547 mg/kg estimated
	Rat	27231.1348 mg/kg estimated
Components	Species	Test Results
-(2-ethoxyethoxy)ethanol (	CAS 111-90-0)	
Acute		
Dermal		
LD50	Rabbit	8476 mg/kg
	Rat	6000 mg/kg
Oral		
LD50	Mouse	6.58 g/kg
	Rat	1920 mg/kg
ributoxyethyl Phosphate (C	CAS 78-51-3)	
Acute		
Oral		
LD50	Guinea pig	3000 mg/kg
	Rat	3000 mg/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Material name: SEAL 341 SDS US 4/7

HIL00341 Version #: 02 Revision date: 02-29-2016 Issue date: 11-18-2014

Respiratory or skin sensitization

Respiratory sensitization Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

Product		Species	Test Results
SEAL 341			
Aquatic			
Crustacea	EC50	Daphnia	135.7509 mg/l, 48 hours estimated
Fish	LC50	Fish	435.3374 mg/l, 96 hours estimated
Components		Species	Test Results
2-(2-ethoxyethoxy)eth	anol (CAS 111-90-0	0)	
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 10000 mg/l, 96 hours
Tributoxyethyl Phosph	nate (CAS 78-51-3)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales prome	elas) 10.4 - 12 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2-(2-ethoxyethoxy)ethanol -0.54 Tributoxyethyl Phosphate 3.75

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

Material name: SEAL 341 SDS US

## 14. Transport information

DOT

Not regulated as dangerous goods.

# 15. Regulatory information

**US** federal regulations

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

**US** state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

**US. Massachusetts RTK - Substance List** 

Not regulated.

**US. New Jersey Worker and Community Right-to-Know Act** 

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories** 

Country(s) or region Inventory name

On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 11-18-2014 **Revision date** 02-29-2016

Version # 02

Material name: SEAL 341 SDS US

Yes

**HMIS®** ratings Health: 0

Flammability: 0 Physical hazard: 0

**Disclaimer** No representations or warranties, either express or implied, of merchantability, fitness for a

particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or

disposal of these products.

Product and Company Identification: Product and Company Identification **Revision Information** 

Composition / Information on Ingredients: Disclosure Overrides Exposure controls/personal protection: Eye/face protection Physical & Chemical Properties: Multiple Properties

Toxicological Information: Toxicological Data

GHS: Classification

Material name: SEAL 341 SDS US 7/7

HIL00341 Version #: 02 Revision date: 02-29-2016 Issue date: 11-18-2014