Safety Data Sheet 91164 Invisible Glass®



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION				
Stoner Incorporated	Product Name:	Invisible Glass®		
1070 Robert Fulton Hwy.	Product Code:	91164		
Quarryville, PA 17566	Product Use:	Glass Cleaner		
1-800-227-5538	24-hour emergency phone:	1-800-424-9300 [CHEMTREC]		
2. HAZARD IDENTIFICATION				
POTENTIAL HEALTH EFFECTS				
Classification of the chemical in accordance v	vith paragraph (d) of §1910.1200;			
GHS Hazard	$\mathbf{\wedge}$			
Symbols				
	\mathbf{V}			
	Gases under pressure - Liquified Gas Serious Eye Damage/Eye Irritation Category 2A			
	Serious Eye Damage/Eye initiation Category 2A			
Signal Word	Warning			
Hazard Statements	Contains gas under pressure; may explode if heated.			
	Causes serious eye irritation.			
Precautionary Statements				
Prevention	Wash thoroughly after handling.			
		ective gloves/protective clothing/eye protection/face protection.		
Response	IF IN EVES. Dinse cautionaly with water for sev	aral minutes. Demove contact lenses, if present and easy to do		
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
	If eye irritation persists: Get medical advice/atter	ntion.		
Storage	Protect from sunlight. Store in a well-ventilated place.			
~				

3. COMPOSITION/INFORMATION ON INGREDIENTS						
COMPONENT	<u>C</u>	<u>AS #</u>		Percent		
Water	77	32-18-5		80 - 100		
Hydrocarbon propellant	68	476-86-8		1-20		
Proprietary hydrocarbon blend	М	ixture		1-15		
HMIS® III* HAZARDOUS WARN	JINGS:					
Health: 2	Flammability:	2	Physical:	0	Personal	See Section
			-		Protective	
					Equipment:	

* See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention. Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Seek medical attention if symptoms persist. Seek medical attention if necessary. Ingestion: Do not induce vomiting. Aspiration into the lungs can cause serious damage. Contact a physician, medical facility, or poison control center immediately. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs.

Stoner Incorporated

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Continue your efforts until help arrives or the victim starts to breathe on his own. Do not leave victim alone. Seek immediate medical attention. Keep the victim warm and quiet.

NOTES TO PHYSICIAN:

This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity when deciding whether to induce vomiting. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); liver; kidney; blood forming system;

5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards:	Product is water based material, containing minor amounts of flammable ingredients. This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point. This product contains a component(s) that is considered an extremely flammable gas(es), which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point.
Fire Fighting Instructions:	Use alcohol foam, water fog, dry chemical, or CO2. Water is generally not effective and may spread fire; however,
The Fighting instituctions.	water spray may be used from a safe distance to cool closed containers and protect surrounding area.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

7. HANDLING AND STORAGE

Handling: Do not use near ignition sources. Use with adequate ventilation. If ventilation is not sufficient, wear proper respiratory equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Do not store containers in excessive heat or direct sunlight. Protect container against physical damage. This material can be harmful or irritating. Use with adequate ventilation. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Do not use near ignition sources. Protect container against physical damage. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor.

Storage: Store in a cool, dry, well ventilated area away from all sources of ignition. Normal precautions common to safe manufacturing practice should be followed in handling and storage. Do not store at temperatures above 120 degrees F. Store away from incompatible materials such as materials that support combustion (oxidizing materials) and corrosive materials (strong acids or bases). Empty container may contain residues which are hazardous.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the MSDS (from known, suspected or apparent adverse effects). Local exhaust should be used in areas where exposure limits may be exceeded. Ventilation is required to maintain operator exposure below published exposure limits.				
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Do not wear contact lenses. Have an eye wash station available.				
Skin Protection:	The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.				
Respiratory Protection:	A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.				
COMPONENT	CAS #	ACGIH TLV	OSHA PEL	OTHER	
Water	7732-18-5	Not established	Not established	Not established	
Hydrocarbon propellant	68476-86-8	1000ppm	Not established	Not established	
Proprietary hydrocarbon blend	Mixture	20 ppm	50ppm	Not established	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:
Appearance:
Odor:
Odor Threshold:
pH:
Melting/Freezing Point (°F):
Boiling Point (°F):

Flash Point (°F PMCC): Evaporation Rate: Flammability (solid, gas): Percent VOCs (%): Aerosol can Clear Colorless Alcohol Mild Not applicable No data available No data available Not applicable

0.5-2 (n-Butyl acetate = 1) No data available 1-20

Lower Flammability Limit (%): Not applicable Upper Flammability Limit (%): Not applicable 53.00 Vapor Pressure (PSIG @ 70°F): Vapor Density [air = 1]: 1.23 Relative Density (H2O=1): 0.96 Solubility in Water: Not determined Partial Coefficient: n-0.2 octanol/water: Autoignition Temperature (°F): 869 Decomposition Temperature (°F): No data available Viscosity, dynamic (cSt): 0.3

Stoner Incorporated

10. STABILITY AND REACTION

10. STABILITY AND R	LACHUN				
Chemical Stability: Conditions to Avoid:	Stable. Avoid contact with: Ignition sources such as o Strong oxidizing agents. Acetaldehyde. Chlor				
Decomposition Products:	Burning can produce the following combustion products: Carbon dioxide and carbon monoxide.				
11. TOXICOLOGICAL	INFORMATION				
Inhalation Toxicity:	High concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea; continued inhalation may result in unconsciousness and/or death.				
Reproductive & Developmental Toxicity:	No data available.				
Ingredient	CAS #	Toxicological Data			
Hydrocarbon propellant	68476-86-8	No data available			
Proprietary hydrocarbon blend	Mixture	Inhalation LC50 (4h) Rat 658 mg/L Dermal LD50 Mouse > 3500 mg/kg			
roprictary nyurocarbon bienu	WIIXTUE	Oral LD50 Rat = 2000 mg/kg			
		Inhalation LC50 (6h) Rat > 3 mg/L			
12. ECOLOGICAL INF	ORMATION				
Ecological Toxicity:	No data available				
Mobility:	No data available This material (or one of its components), dissolves in water. If it enters the soil, it will be highly mobile and may contaminate ground water.				
De ann da hallitan					
Degradability:	No data available.				
Ingredient	CAS # Toxicological Data				
Proprietary hydrocarbon blend	Mixture Aquatic LC50 (96h) MINNOW = 72860 mg/L Aquatic LC50 (48h) Daphnia > 100 mg/L				
		Aquatic LC50 (48n) Daph Aquatic LC50 (96h) Algae			
		Aquate LC50 (501) Alga	. 0500 - 15000 mg/L		
13. DISPOSAL CONSID	ERATIONS				
Disposal : Dispose accordin	ng to Federal, State and local regulations.				
14. TRANSPORTATION	N INFORMATION				
Agency UN Number	Proper Shipping name	Hazard Class	Packing Group		
DOT UN1950	Aerosols, Non- Flammable [†]	2.2	Not applicable		
IATA ID8000	Consumer Commodity†	9	Not applicable		
IMDG UN1950	Aerosols, Non- Flammable†	2.2	Not applicable		
† "Limited Quantities" may be ap	pplicable for this transportation mode.				
15. REGULATORY INF	ORMATION				
Warning, This meduat contains t	the following chemicals that are applied to report	ting requirements for the following requise	my hadias listed halowy		

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:						
COMPONENT	CAS #	% BY WEIGHT	Regulatory Body			
No components listed in this section.			SARA Section 313			

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below. No components listed in this section. Prop65 Cancer

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below. No components listed in this section. Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

16. OTHER INFORMATION

Other Information : MSDS Prepared by L. Dean Swartz, MSDS Coordinator

Version Date: 05/30/15

This information contained in this MSDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.