

SPRAYPAK LEMON FURNITURE POLISH

Supplier		
Chase Products Co. 19th and Gardner Road Broadview, IL 60155 USA	<u>Manufacturer</u> Chase Products Co. 19th and Gardner Road Broadview, IL 60155 USA	
Company Contact: Aludia B. Hernandez Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com	Company Contact: Aludia B. Hernandez Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com	
Supplier Emergency Contacts & Phone Number Chem-Tel: 1-800-255-3924	Manufacturer Emergency Contacts & Chem-Tel: 1-800-255-3924	Phone Number
ssue Date: 03/01/2004		
Product Name: SPRAYPAK LEMON FURNITURE POLI Chemical Name: 7-7867 CAS Number: Not Established MSDS Number: 2345 Product Code: 433-4109-3 Product/Material Uses - Furniture Polish	ISH	
2. Composition/Information On Ingredients		
Ingredient Name	CAS Number	Percent Of Total Weight
BUTANE	106-97-8	
SOPARAFFINIC HYDROCARBON	64741-66-8	
PROPANE	74-98-6	
Hazardous components, according to OSHA, are listed wl present at 0.1% or greater.	hen present at 1.0% or greater. Carcinogen	s are listed when
3. Hazards Identification		
Primary Routes(s) Of Entry - Ingestion (possible, but concerning the second sec		

MATERIAL SAFETY DATA SHEET

SPRAYPAK LEMON FURNITURE POLISH

3. Hazards Identification - Continued

<u>Conditions Aggravated By Overexposure</u> - Prolonged contact with skin may aggravate an existing dermatitis condition.

First Aid (Pictograms)



4. First Aid Measures

Eve - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin - Wash skin with soap and water. If irritation develops, call a poison control center or doctor for treatment advise. **Ingestion** - Ingestion from an aerosol product is unlikely to occur. Contains petroleum distillates. Harmful if swallowed. If accidentally swallowed, do not induce vomiting, call physician immediately.

Inhalation - If overcome by vapor move victim to fresh air. If person is not breathing, call 911 or an ambulance, then provide artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advise.

5. Fire Fighting Measures

Flash Point: Not available °F Not available °C Flash Point Method: Not available Lower Explosive Limit: Not available Upper Explosive Limit: Not available

<u>Fire And Explosion Hazards</u> - This product is an aerosol product for which **Flame Projection is 0 in.** Temperatures above 120 F may cause cans to burst.

Extinguishing Media - Use CO2 (Carbon Dioxide), dry chemical, or water fog.

Fire Fighting Instructions - Water spray may be used to cool cans in the vicinity of fire or excessive heat.

6. Accidental Release Measures

Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.

7. Handling And Storage

Handling And Storage Precautions- Store in a cool, dry place away from heat and open flame.Handling Precautions- Do not deliberately inhale vapor or spray mist. Avoid getting spray into eyes.Storage Precautions- Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric
motors and static electricity). Keep out of reach of children. AEROSOL STORAGE LEVEL I (NFPA-30B)Work/Hygienic Practices- Wash thoroughly after handling.

Protective Clothing (Pictograms)



8. Exposure Controls/Personal Protection

Engineering Controls - Use with adequate general and local exhaust ventilation.

Eye/Face Protection - Conventional eyeglasses to guard against splashing.

Skin Protection - Household type gloves, if desired.

Respiratory Protection - None required if used in a well-ventilated area.

MATERIAL SAFETY DATA SHEET

SPRAYPAK LEMON FURNITURE POLISH

Ingredient(s) - Expos	ure Limits
BUTANE	
ACGIH TLV-TWA 8	
	pm) based on total hydrocarbon (Recommended by ExxonMobil)
PROPANE	
ACGIH TLV-TWA 2	500 ppm ; OSHA PEL-TWA 1,000 ppm
9. Physical And Cher	nical Properties
Appearance - White,	, creamy emulsion.
Odor - Lemon odor.	
Chemical Type: Mixtu	ure
Physical State: Liquid	
Melting Point: Not ap	
Boiling Point: water 2 Specific Gravity: 0.99	
Percent VOCs: 20.73	
Solubility: Insoluble i	
Evaporation Rate: Fa	aster than butyl acetate
Stability: Stable Hazardous Polymeriz	zation: Will not occur
Stability: Stable Hazardous Polymeriz Conditions To Avoid Incompatible Materia Hazardous Decompo dioxide.	
Stability: Stable Hazardous Polymeriz Conditions To Avoid Incompatible Materia Hazardous Decompo dioxide. Conditions To Avoid	 (Stability) - Temperatures above 120 F (Stability) - Temperatures above 120 F (Is) - Avoid heat, open flame and contact with strong oxidizers. (sition Products) - Thermal decomposition may yield gases like carbon monoxide and carbon (Polymerization) - Temperatures above 120 F
Stability: Stable Hazardous Polymeriz Conditions To Avoid Incompatible Materia Hazardous Decompo dioxide. Conditions To Avoid	 (Stability) - Temperatures above 120 F (Stability) - Temperatures above 120 F (Is) - Avoid heat, open flame and contact with strong oxidizers. (sition Products) - Thermal decomposition may yield gases like carbon monoxide and carbon (Polymerization) - Temperatures above 120 F
Stability: Stable Hazardous Polymeriz Conditions To Avoid Incompatible Materia Hazardous Decompo dioxide. Conditions To Avoid 11. Toxicological Info No Data Available	zation: Will not occur (Stability) - Temperatures above 120 F Is - Avoid heat, open flame and contact with strong oxidizers. sition Products - Thermal decomposition may yield gases like carbon monoxide and carbon (Polymerization) - Temperatures above 120 F prmation - Temperatures above 120 F
Stability: Stable Hazardous Polymeriz Conditions To Avoid Incompatible Materia Hazardous Decompo dioxide. Conditions To Avoid 11. Toxicological Inform No Data Available	zation: Will not occur (Stability) - Temperatures above 120 F Is - Avoid heat, open flame and contact with strong oxidizers. sition Products - Thermal decomposition may yield gases like carbon monoxide and carbon (Polymerization) - Temperatures above 120 F prmation - Temperatures above 120 F
Stability: Stable Hazardous Polymeriz Conditions To Avoid Incompatible Materia Hazardous Decompo dioxide. Conditions To Avoid 11. Toxicological Inform No Data Available No Data Available	zation: Will not occur (Stability) - Temperatures above 120 F Is - Avoid heat, open flame and contact with strong oxidizers. sition Products - Thermal decomposition may yield gases like carbon monoxide and carbon (Polymerization) - Temperatures above 120 F prmation - Temperatures above 120 F
Stability: Stable Hazardous Polymeriz Conditions To Avoid Incompatible Materia Hazardous Decompo dioxide. Conditions To Avoid 11. Toxicological Inform No Data Available 12. Ecological Inform No Data Available 13. Disposal Conside Do not puncture or inci	zation: Will not occur (Stability) - Temperatures above 120 F Is - Avoid heat, open flame and contact with strong oxidizers. sition Products - Thermal decomposition may yield gases like carbon monoxide and carbon (Polymerization) - Temperatures above 120 F prmation - Temperatures above 120 F
Stability: Stable Hazardous Polymeriz Conditions To Avoid Incompatible Materia Hazardous Decompo dioxide. Conditions To Avoid 11. Toxicological Inform No Data Available 12. Ecological Inform No Data Available 13. Disposal Conside Do not puncture or inci your local solid waste a	zation: Will not occur (Stability) - Temperatures above 120 F Is - Avoid heat, open flame and contact with strong oxidizers. Isition Products - Thermal decomposition may yield gases like carbon monoxide and carbon (Polymerization) - Temperatures above 120 F prmation - Temperatures above 120 F pression - Temperatures above 120 F prmation - Temperatures above 120 F pression - Temperatures above 120 F <
Stability: Stable Hazardous Polymeriz Conditions To Avoid Incompatible Materia Hazardous Decompo dioxide. Conditions To Avoid 11. Toxicological Inform No Data Available 12. Ecological Inform No Data Available 13. Disposal Conside Do not puncture or inci your local solid waste a 14. Transport Informa	zation: Will not occur (Stability) - Temperatures above 120 F Is - Avoid heat, open flame and contact with strong oxidizers. Isition Products - Thermal decomposition may yield gases like carbon monoxide and carbon (Polymerization) - Temperatures above 120 F prmation - Temperatures above 120 F pression - Temperatures above 120 F prmation - Temperatures above 120 F pression - Temperatures above 120 F <
Incompatible Materia Hazardous Decompo dioxide. Conditions To Avoid 11. Toxicological Info No Data Available 12. Ecological Inform No Data Available 13. Disposal Conside Do not puncture or inci your local solid waste a 14. Transport Information	zation: Will not occur (Stability) - Temperatures above 120 F Is - Avoid heat, open flame and contact with strong oxidizers. Issition Products - Thermal decomposition may yield gases like carbon monoxide and carbon (Polymerization) - Temperatures above 120 F ormation - Temperatures above 120 F partition - Temperatures above 120 F ormation - Temperatures above 120 F partition - Temperatures above 120 F
Stability: Stable Hazardous Polymeriz Conditions To Avoid Incompatible Materia Hazardous Decompo dioxide. Conditions To Avoid 11. Toxicological Inform No Data Available 12. Ecological Inform No Data Available 13. Disposal Conside Do not puncture or inci your local solid waste a 14. Transport Informa Proper Shipping Nam Hazard Class	zation: Will not occur (Stability) - Temperatures above 120 F Is - Avoid heat, open flame and contact with strong oxidizers. isition Products - Thermal decomposition may yield gases like carbon monoxide and carbon (Polymerization) - Temperatures above 120 F prmation - Temperatures above 120 F press - Temperatures above 120 F prmation - Temperatures above 120 F press - Temperatur

MATERIAL SAFETY DATA SHEET

SPRAYPAK LEMON FURNITURE POLISH

14. Transport Information - Continued

DOT Shipping Label

Aerosol Consumer Commodity

15. Regulatory Information

U.S. Regulatory Information - All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

SARA Hazard Classes

Acute Health Hazard; Fire Hazard

<u>SARA Section 313 Notification</u> - This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

Ingredient(s) - State Regulations

BUTANE

New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance

PROPANE

New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance



16. Other Information

<u>Revision/Preparer Information</u> MSDS Preparer: Laura E. Radevski MSDS Preparer Phone Number: 708-865-1000 This MSDS Supercedes A Previous MSDS Dated: 08/04/2003

Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

Chase Products Co.

Printed Using MSDS Generator™ 2000