Material Safety Data Sheet

ITW Consumer - Devcon/Versachem

1 of 5

BATTERY NO CORRODE GEL

This product appears in the following stock number(s): 00911

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Tradename: BATTERY NO CORRODE GEL

General use: Lubricant

Chemical family: Petroleum jelly

MANUFACTURER
ITW Consumer - Devcon/Versachem
2107 West Blue Heron Blvd.
Riviera Beach, Florida 33404

EMERGENCY INFORMATION Emergency telephone number (CHEMTEL): (800) 255-3924

(CHEMTEL International): (+01) 813-248-0585

Other Calls: (561) 845-2425

2. COMPOSITION/INFORMATION ON INGREDIENTS							
Component	Abbr.	Weight%	ACGIH; TLV-TWA	OSHA PEL:	Other Limits		
RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED 64742-62-7	n/e	>35		5 ppm TWA	n/e		
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC 64742-65-0	n/e	>35	5 mg/m³ TWA ACGIH	5 mg/m ³ TWA	n/e		
ORGANIC ANTIMONY 15890-25-2	n/e	<5		n/e	n/e		
TRADE SECRET (Non-hazardous) MIXTURE	n/e	Balance		n/e	n/e		

[&]quot;TLV" means the Threshold Limit Value exposure (eight-hour, time-weighted average, unless otherwise noted) established by the American Conference of Governmental Industrial Hygienists. "STEL" indicates a short-term exposure limit. "PEL" indicates the OSHA Permissible Exposure Limit. "n/e" indicates that no exposure limit has been established. An asterisk (*) indicates a substance whose identify is a trade secret of our supplier and unknown to us.

3. HAZARDOUS IDENTIFICATION

Emergency Overview

Appearance, form, odor: Purple grease with mild odor

CAUTION!. Eye and skin irritant.

Potential health effects

Primary Routes of Exposure: Eye, skin, ingestion

Symptoms of acute overexposure

Skin: May cause mild skin irritation.

Eyes: Slightly irritating but does not cause eye tissue damage

Inhalation: None known..

Ingestion: May cause gastric distress (nausea, vomiting, diarrhea).

Effects of Chronic Exposure: None known.

ITW Consumer - Devcon/Versachem

Medical Conditions Recognized as Being Aggravated by Exposure:

Preexisting skin disorders.

4. FIRST AID MEASURES

Eye Contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

Skin Contact: Wash with soap and water. Seek medical attention if irritation persists.

Inhalation: Move to fresh air; get medical attention if symptoms persist

Ingestion: If swallowed, DO NOT induce vomiting. Keep individual calm. Obtain medical attention

5. FIRE FIGHTING MEASURES

Recommended Extinguishing Media: Dry chemical, Carbon dioxide, Water, foam

Flash point: >400°F (204.4°C) Method: COC

Lower Explosive Upper Explosive

Limit: n/d Limit: n/d

Special Fire-Fighting Procedures: Treat as oil fire. Firefighters should wear self-contained breathing apparatus.

Unusual Fire/Explosion Hazards:

None.

Hazardous Products of Combustion:

Oxides of carbon

6. ACCIDENTAL RELEASE MEASURES

Spill Control: Wear the appropriate personal protective equipment.

Containment: Dike, contain and absorb with clay, sand or other suitable material

Cleanup: Place in an appropriate waste container for disposal. Clean up spill thoroughly as residue is slippery.

Special procedures: Prevent spill from entering drainage/sewer systems, waterways and surface water.

7. HANDLING AND STORAGE

Handling precautions: Avoid contact with the skin and the eyes. Wash thoroughly after handling. Discard contaminated leather articles.

Storage: Store away from heat.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls:

Ventilation:

General ventilation is usually adequate.

Other engineering controls: N/A.

Personal protective equipment

Eye and face protection: Safety glasses with side shields

Skin protection: Chemical-resistant gloves (Neoprene, nitrile) and other gear as required to prevent skin contact.

Respiratory protection: With good ventilation, none required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Specific Gravity: 0.95 Boiling Point: n/d

Melting point: n/d Vapor Density (Air=1): n/d

Vapor Pressure: n/d Evaporation Rate: n/d

VOC: Nil Solubility in water: Insoluble

pH (5% solution or slurry in water): n/d

10. STABILITY AND REACTIVITY

This material is chemically stable. Hazardous polymerization will not occur.

Conditions to Avoid: Excessive heat.

Incompatabilities: Strong oxidizers

Hazardous Products of Combustion: Oxides of carbon

Conditions under which hazardous polymerization may occur: None known.

11. TOXICOLOGICAL INFORMATION

Eye Contact: No data available.

Subchronic effects: None known.

Carcinogenicity, tertogenicity and mutagenicity: No data available.

Other chronic effects: None known.

Toxicological information on hazardous chemical constituents of this product:

Component	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 4hr (rat)
RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED	>5000 mg/kg	>2000 mg/kg	2.18 mg/L/4h
64742-62-7			
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED	>5000 mg/kg	>2000 mg/kg	2.18 mg/L/4H
HEAVY PARAFFINIC			
64742-65-0			
ORGANIC ANTIMONY	n/d	n/d	n/d
15890-25-2			
TRADE SECRET (Non-hazardous)	n/d	n/d	n/d
MIXTURE			

'n/d' = not determined

_

12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available.

Mobility and persistence: No data available.

Environmental fate: No data available.

13. DISPOSAL CONSIDERATIONS

Please see also Section 15, Regulatory Information.

ITW Consumer - Devcon/Versachem

Recommended Method of Disposal: If material becomes a waste, it would not be a hazardous waste by RCRA criteria (40CFR 261). Dispose of according to applicable federal, state and local regulations.

US EPA Waste Number: NH - Not a RCRA Hazardous Waste Material.

14. TRANSPORT INFORMATION

Proper shipping name: Not regulated

Technical name: N/A
Hazard class: N/A
UN/ID Number: N/A

Packing group: N/A

Emergency Response Guide no: N/A

15. REGULATORY INFORMATION

U.S. Federal Regulations

TSCA:

All ingredients of this product are listed or are exempt from listing on the TSCA Inventory.

The following RCRA code(s) applies to this material if it becomes waste:

None

Regulatory status of hazardous chemical constituents of this product:

Component	Extremely Hazardous*	Toxic Chemical**	CERCLA RQ (lbs)	12B EXPORT NOTIFICATION:
RESIDUAL OILS (PETROLEUM), SOLVENT-DEWAXED 64742-62-7	No	No	0.0	Not required
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC 64742-65-0	No	No	0.0	Not required
ORGANIC ANTIMONY 15890-25-2	No	No	0.0	Not required
TRADE SECRET (Non-hazardous) MIXTURE	No	No	0.0	Not required

^{*}Consult the appropriate regulations for emergency planning and release reporting requirements for substances on the SARA Section 301 Extremely Hazardous Substance List.

For purposes of SARA Section 312 hazardous materials inventory reporting, the following hazard classes apply to this material: Immediate health hazard

<u>California regulations:</u> For purposes of the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Prop 65), this product does not contain any chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Canadian Regulations

WHMIS Hazard Class: Non-controlled

16. OTHER INFORMATION

Hazardous Material Information System (HMIS) rating:

Health 1 Flammability 1 Physical Hazard 0

HMIS is a registered trademark of the National Paint and Coatings Assn.

^{**}Substances for which the "Toxic Chemical" column is marked "Yes" are on the SARA Section 313 list of Toxic Chemicals, for which release reporting may be required. For specific requirements, consult the appropriate regulations.

ITW Consumer - Devcon/Versachem

Revision Date: August/25/2008

Revision Number: 4

The information and recommendations in this document are based on the best information available to us at the time of preparation, but we make no other warranty, express or implied, as to its correctness or completeness, or as to the results of reliance on this document.