

Safety Data Sheet

1,6-Hexanediamine, 5%

CAROLINA[®]
www.carolina.com

Section 1 Product Description

Product Name: 1,6-Hexanediamine, 5%
Recommended Use: Science education applications
Synonyms: Hexamethylene Diamine Solution
Distributor: Carolina Biological Supply Company
2700 York Road, Burlington, NC 27215
1-800-227-1150
Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)
Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2 Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER



Causes severe skin burns and eye damage. Causes serious eye damage.

GHS Classification:

Skin Corrosion/Irritation Category 1B, Serious Eye Damage/Eye Irritation Category 1

Section 3 Composition / Information on Ingredients

<u>Chemical Name</u>	<u>CAS #</u>	<u>%</u>
Water	7732-18-5	93
1,6-Hexanediamine	124-09-4	5
Sodium Hydroxide	1310-73-2	2

Section 4 First Aid Measures

Emergency and First Aid Procedures

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin Contact: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Section 5 Firefighting Procedures

Extinguishing Media: Use dry chemical, CO2 or appropriate foam.
Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained breathing apparatus.
Fire and/or Explosion Hazards: Fire or excessive heat may produce hazardous decomposition products.
Hazardous Combustion Products: Carbon dioxide, Carbon monoxide, Ammonia

Section 6 Spill or Leak Procedures

Safety Data Sheet

Steps to Take in Case Material Is Released or Spilled:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits. Persons not wearing appropriate protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental Precautions:

Avoid breathing material. Avoid contact with skin and eyes.

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

Section 7 Handling and Storage

Handling: Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Storage: Store locked up. Keep container tightly closed in a cool, well-ventilated place.

Storage Code: Green - general chemical storage

Section 8 Protection Information

<u>Chemical Name</u>	<u>ACGIH</u>		<u>OSHA PEL</u>	
	<u>(TWA)</u>	<u>(STEL)</u>	<u>(TWA)</u>	<u>(STEL)</u>
1,6-Hexanediamine	0.5 ppm TWA	N/A	N/A	N/A
Sodium Hydroxide	N/A	N/A	2 mg/m3 TWA	N/A

Control Parameters

Engineering Measures:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE): Respiratory Protection:

Lab coat, apron, eye wash, safety shower.
Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. NIOSH approved air purifying respirator with dust/mist filter.

Respirator Type(s): Eye Protection:

Wear chemical splash goggles when handling this product. Have an eye wash station available.

Skin Protection:

Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves:

No information available

Section 9 Physical Data

Formula: N/A

Molecular Weight: No data available

Appearance: Colorless to pale amber Liquid

Odor: Moderate Characteristic

Odor Threshold: No data available

pH: No data available

Melting Point: No data available

Boiling Point: No data available

Flash Point: No data available

Flammable Limits in Air: 0.9 - 4.1% (hexanediamine)

Vapor Pressure: No data available

Evaporation Rate (BuAc=1): No data available

Vapor Density (Air=1): No data available

Specific Gravity: Approx. 1 at 20 °C

Solubility in Water: Soluble

Log Pow (calculated): No data available

Autoignition Temperature: No data available

Decomposition Temperature: No data available

Viscosity: No data available

Percent Volatile by Volume: No data available

Section 10 Reactivity Data

Safety Data Sheet

Reactivity: Not generally reactive under normal conditions.
Chemical Stability: Stable under normal conditions.
Conditions to Avoid: Exposure to moisture
Incompatible Materials: Water-reactive materials, Strong oxidizing agents, Strong reducing agents, Acids, Hydroquinone, Organic halides, Phosphorus, Alcohols, Metals, Aldehydes
Hazardous Decomposition Products: Ammonia, Carbon dioxide, Carbon monoxide
Hazardous Polymerization: Will not occur

Section 11 Toxicity Data

Routes of Entry: Inhalation, ingestion, eye or skin contact., Ingestion, skin and eye contact.
Symptoms (Acute): Hepatitis, Dermatitis
Delayed Effects: No data available

Acute Toxicity:

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Water	7732-18-5	Oral LD50 Rat 90000 mg/kg		
1,6-Hexanediamine	124-09-4	Oral LD50 Mouse 380 mg/kg	Dermal LD50 Rabbit 1100 MG/M3 Dermal LD50 Rabbit 1110 mg/kg	

Carcinogenicity:

Chemical Name	CAS Number	IARC	NTP	OSHA
1,6-Hexanediamine	124-09-4	Not listed	Not listed	Not listed
Sodium Hydroxide	1310-73-2	Not listed	Not listed	Not listed

Chronic Effects:

Mutagenicity: No evidence of a mutagenic effect.
Teratogenicity: No evidence of a teratogenic effect (birth defect).
Sensitization: No evidence of a sensitization effect.
Reproductive: No evidence of negative reproductive effects.
Target Organ Effects:
Acute: Liver
Chronic: No data available

Section 12 Ecological Data

Overview: This material is not expected to be harmful to the ecology.
Mobility: No data
Persistence: Dissolved into water, Adsorbs to soil., Biodegradation, Photodegradation
Bioaccumulation: No data
Degradability: No data
Other Adverse Effects: No data

Chemical Name	CAS Number	Eco Toxicity
Water	7732-18-5	No data available
1,6-Hexanediamine	124-09-4	96 HR LC50 PIMEPHALES PROMELAS 1825 MG/L [STATIC] 96 HR LC50 LEUCISCUS IDUS 62 MG/L [STATIC] 96 HR LC50 LEPOMIS MACROCHIRUS > 56 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 23.4 MG/L 96 HR EC50 PSEUDOKIRCHNERIELLA SUBCAPITATA 14.8 MG/L 72 HR EC50 PSEUDOKIRCHNERIELLA SUBCAPITATA 15 MG/L Aquatic LC50 (96h) Rainbow Trout 45.4 MG/L
Sodium Hydroxide	1310-73-2	

Section 13 Disposal Information

Safety Data Sheet

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.
Waste Disposal Code(s): Not Determined

Section 14 Transport Information

Ground - DOT Proper Shipping Name: UN1760
Corrosive liquid, n.o.s.(1,6-hexanediamine, sodium hydroxide)
Class 8
P.G. III

Air - IATA Proper Shipping Name: UN1760 Corrosive liquid, n.o.s.(1,6-hexanediamine, sodium hydroxide) Class 8 P.G. III

Section 15 Regulatory Information

TSCA Status: All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
1,6-Hexanediamine	124-09-4	No	No	No	No	No
Sodium Hydroxide	1310-73-2	No	1000 lb RQ	1000lb (454kg) final RQ	No	No

Section 16 Additional Information

Revised: 09/09/2015

Replaces: 09/03/2014

Printed: 10-29-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	American Conference of Governmental Industrial Hygienists	NTP	National Toxicology Program
CAS	Chemical Abstract Service Number	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
DOT	U.S. Department of Transportation	ppm	Parts per million
IARC	International Agency for Research on Cancer	RCRA	Resource Conservation and Recovery Act
N/A	Not Available	SARA	Superfund Amendments and Reauthorization Act
		TLV	Threshold Limit Value
		TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health